

Washoe County Appeal of Decision to Board of Adjustment

Your entire application is a public record. If you have a concern about releasing personal information please contact Planning and Development staff at 775.328.3600.

Appeal of Decision by (Check one)	
<p>Note: Appeals to the Washoe County Board of Adjustment are governed by WCC Section 110.910.15(i) and WCC Section 110.912.10(j).</p>	
<input type="checkbox"/> Administrative Hearing Officer	<input type="checkbox"/> County Building Official
<input checked="" type="checkbox"/> Director, Planning and Development Division	<input type="checkbox"/> Fire Code Official <input type="checkbox"/> North Lake Tahoe Fire Protection District <input type="checkbox"/> Truckee Meadows Fire Protection District
Appeal Date Information	
<p>Note: This appeal must be delivered in writing to the offices of the Planning and Development Division or the Washoe County Building Official within 10 (ten) calendar days from the date that the decision being appealed is communicated in writing to the appellant.</p>	
<p>Note: The appeal must be accompanied by the appropriate appeal fee (see attached Master Fee Schedule).</p>	
Date of this appeal: <u>18 MAY 2017</u>	
Date of action by County: <u>Building Permit is on "hold"</u>	
Date of decision for which appeal is being filed: _____	
Project Location: <u>4765 GILES WAY WASHOE VALLEY NV</u>	
Appellant Information	
Name: <u>RICHARD STONE</u>	Phone: <u>(775) 849-7935</u>
Address: <u>4765 GILES WAY</u>	Fax: _____
	Email: <u>KDBBQ@ATT.NET</u>
City: <u>Washoe Valley</u> State: <u>NV</u> Zip: <u>89704</u>	Cell: _____
Specific action by the County being appealed: <u>New interpretation of Working in 110.324.20(A) making the maximum height of all antenna structures 45 feet. Planning Department holding up permit pending outcome of BOA decision</u>	
Describe why the decision should or should not have been made: <u>This is a change in interpretation of code that in the past allowed for retractable towers to extend beyond 45 feet as long as they could retract to less than 45' when not in use. The code has not changed only the interpretation by staff</u>	

